

ii

#### Note to the user

This software has been written to analyse data of the SPI telescope onboard INTEGRAL. Particular care has been taken in making the software user friendly and well documented. If you appreciated this effort, and if this software and User Manual were useful for your scientific work, the author would appreciate a corresponding acknowledgment in your published work.

sp	i_obs_hist User Manual	iii
C	contents	
1	Introduction	1
2	Getting started	1
3	Parameter file	3
4	Interface definition	6
5	Algorithm	6
6	Error codes	6

# 1 Introduction

The executable spi\_obs\_hist is part of the SPI scientific analysis preparation software component (SAP). It's main purpose is the generation of event spectra that may be used for imaging or spectral analysis, but in the same time it also derives the Good Time Intervals and the Deadtime for each pointing and pseudo-detector. This optimises execution speed and allow for a rapid data preparation for scientific analysis.

In general, the SPI scientific analysis preparation (SAP) consists of the following steps

- spi\_obs\_create create an observation group
- spi\_obs\_point extract stable pointings for SPI
- spibounds define energy boundaries for spectral binning
- spi\_gain\_corr (optional) apply gain correction to photon/photon data and store them in COR data. spi\_obs\_hist allows for on-the-fly gain calibration which avoids storing gain corrections in COR data, hence this step may be avoided.
- spi\_psd\_optimise (optional) optimise onground PSD discrimination. This step is only needed if PSD pseudo-detectors are selected.
- spi\_psd\_postprocess (optional) perform onground PSD discrimination and store results in COR data. This step is only needed if PSD pseudo-detectors are selected and if COR data should be written. spi\_obs\_hist allows for on-the-fly PSD discrimination which avoids storing the corrected PSD flag in COR data.
- spi\_obs\_hist build event spectra, Good Time Intervals, and Deadtimes
- spi\_psd\_respgen (optional) generates PSD response. This step is only needed if PSD pseudo-detectors are selected.
- spi\_psd\_effigen (optional) generates PSD efficiencies. This step is only needed if PSD pseudo-detectors are selected.
- $\bullet$  spi\_obs\_back generate background model

So in case that no COR data should be written (default) the analysis chain consists of  $spi_obs_create \rightarrow spi_obs_point \rightarrow spibounds \rightarrow spi_obs_hist \rightarrow spi_obs_back$  if no PSD pseudo-detectors should be used and of og\_create  $\rightarrow$  spi\_obs\_point  $\rightarrow$  spi\_psd\_optimise  $\rightarrow$  spibounds  $\rightarrow$  spi\_obs\_hist  $\rightarrow$  spi\_psd\_respgen  $\rightarrow$  spi\_psd\_effigen  $\rightarrow$  spi\_obs\_back if PSD pseudo-detectors are used.

spi\_obs\_hist is written in the ANSI C++ language and has been developed under ISDC support platform 6.3. It requires spi\_toolslib version 4.2.0 or higher.

# 2 Getting started

Before installing spi\_obs\_hist, make sure that the ISDC support platform 6.3 or higher is installed on your system, and that you have installed the library spi\_toolslib version 4.2.0 or higher.

After downloading the spi\_obs\_hist.tar.gz file, step into a directory that should hold the distribution, move the spi\_obs\_hist.tar.gz file into this directory and type after the UNIX prompt \$ (don't type this prompt):

```
$ gunzip spi_obs_hist.tar.gz
$ tar xvf spi_obs_hist.tar
```

The first command uncompresses the distribution file, the second unpacks the files.

Before configuration, the distribution needs to be reset to a clean state. To do this, type

#### \$ make distclean

Then, configure the distribution. It is assumed here that you have previously installed the ISDC support platform, thus you should type

# \$ ~/bin/ac\_stuff/configure

Finally, build the distribution by typing

# \$ make global\_install

To perform a unit test, type

#### \$ make test

Make sure that the test data spi\_test\_data-1.0.tar.gz are available at your site (they should reside in a directory whose name is defined by the ISDC\_TEST\_DATA\_DIR environment variable).

# 3 Parameter file

```
#
                  Centre d'Etude Spatiale des Rayonnements
#
                         (in collaboration with ISDC)
#
#
                     SPI observation histogram creation
# ----- #
#
# File:
             spi_obs_hist.par
# Version: 2.2.0
# Component: SAP
               Juergen Knoedlseder
# Author:
#
               knodlseder@cesr.fr
               CESR.
#
#
# Purpose: Parameter file of the SPI observation histogram
#
               executable
#
# History: 2.2.0 21-Apr-2004 Second release
# The input DOLs/filenames
inOgDOL, s,q,
                                    "",,,"Input Group DOL (SWG/OG/IDX)"
                                    "",,,"Histogram energy boundaries DOL"
inEbdsDOL, s,q,
                                    "",,,"Pointing definition DOL"
inPntDOL, s,q,
inCoeffDOL,s,q,"spi_gain_idx.fits",,,"Gain correction DOL (File/IDX)"
# The output DOLs/filenames
outOgDOL, s,q, "og_spi.fits",,,"UDServation output 6----
outGtiDOL,s,q, "gti.fits",,,,"Good Time Interval DOL or filename"
                      "og_spi.fits",,,"Observation output group DOL or filename"
outDspDOL,s,q,"evts_det_spec.fits",,,"Spectral histograms DOL or filename"
outDtiDOL,s,q,     "dead_time.fits",,,"Deadtime DOL or filename"
# Task parameters
#========
pdets, s,q, "0-18",,,"List pseudo detector indices (0-141)"
pdets, s,q, "0-18",,,"List pseudo detector indices (0-141)"
histoUnit, i,h, 0,0,0,"Histogram unit (0=counts)"
histoType, i,h, 0,0,0,"Histogram energy type (0=PI)"
doGainCalib, b,q, yes,,,"Perform on-the fly gain correction?"
doPsdDisc, b,q, yes,,,"Perform on-the-fly PSD discrimination?"
doDeadtime, b,q, yes,,,"Perform on-the-fly deadtime calculation?"
randomise, b,h, yes,,,"Randomise energies?"
psdOnground, b,q, yes,,,"Use PSD onground discrimination?"
shiftPha1, b,h, yes,,,"Shift PHA1 onboard spectra by 3282 channels?"
specStartTol,r,h,180.0,0.0,,"Spectrum start tolerance (seconds)"
```

Instead of specifying complete DOLs (Data Object Locations), which are composed of a filename plus the data structure extension (HDU), spi\_obs\_hist accepts also simple filenames and adds the appropriate data structure extensions. This means that specified data structure extensions are ignored.

The parameters have the following meaning:

- ingrpDOL (optional) specifies the DOL or filename of the input Observation Group (HDU [GROUPING]) for which event spectra should be built.
  - If an output Observation Group has been specified (parameter outgrpDOL), the specification of this parameter is optional. If the parameter is left blank, the output Observation Group will then be used as input Observation Group. Otherwise, the input Observation Group will be copied into the output Observation Group.
- inebdsDOL (optional) specifies the DOL or filename of an energy boundary definition (HDU [SPI.-EBDS-SET]). This data structure specifies the energy boundaries of the binned data.
  - If a [SPI.-EBDS-SET] element exists already in the input Observation Group, this element will be replaced by the specified DOL in the output Observation Group. Otherwise, the specified DOL will be attached to the output Observation Group. If left blank, it is assumed that a [SPI.-EBDS-SET] element exists already in the input Observation Group. If no such element is found, however, the task execution is aborted with an error message.
- inPntDOL (optional) specifies the DOL or filename of a Pointing definition (HDU [SPI.-OBS.-PNT]). This data structure specifies the pointings that should be used for spectra building.
  - If a [SPI.-OBS.-PNT] element exists already in the input Observation Group, this element will be replaced by the specified DOL in the output Observation Group. Otherwise, the specified DOL will be attached to the output Observation Group. If left blank, it is assumed that a [SPI.-OBS.-PNT] element exists already in the input Observation Group. If no such element is found, however, the task execution is aborted with an error message.
- inCoeffDOL (optional) specifies the DOL or filename of a gain coefficient index or file (HDU [SPI.-COEF-CAL] or [SPI.-COEF-CAL-IDX]). This data structure specifies the gain calibration coefficients that should be used if on-the-fly energy correction should be performed (see parameter doGainCalib).
  - If a [SPI.-COEF-CAL] or [SPI.-COEF-CAL-IDX] element exists already in the input Observation Group, this element will be replaced by the specified DOL in the output Observation Group. Otherwise, the specified DOL will be attached to the output Observation Group. If left blank, it is assumed that a [SPI.-COEF-CAL] or [SPI.-COEF-CAL-IDX] element exists already in the input Observation Group. If no such element is found, however, the task execution is aborted with an error message.
- inDiscDOL (optional) specifies the DOL or filename of a PSD discrimination parameters (HDU [SPI.-DISC-PSD]). This data structure specifies the PSD discrimination parameters that should be used if on-the-fly PSD discrimination should be performed (see parameter doPsdDisc).
  - If a [SPI.-DISC-PSD] element exists already in the input Observation Group, this element will be replaced by the specified DOL in the output Observation Group. Otherwise, the specified DOL will be attached to the output Observation Group. If left blank, it is assumed that a [SPI.-DISC-PSD]

- element exists already in the input Observation Group. If no such element is found, however, the task execution is aborted with an error message.
- outgrpDOL (optional) specifies the DOL or filename of the output Observation Group (HDU [GROUPING]). The output Observation Group will be a copy of the input Observation Group plus the resulting data structures [SPI.-OBS.-GTI], [SPI.-OBS.-DSP], and [SPI.-OBS.-DTI] (optionally) attached.
  - If an input Observation Group has been specified (parameter ingrpDOL), the specification of this parameter is optional. If the parameter is left blank, the input Observation Group will then be used as output Observation Group.
- outGtiDOL specifies the DOL or filename of the result Good Time Intervals (HDU [SPI.-OBS.-GTI]).
- outDspDOL specifies the DOL or filename of the result Detector Spectra (HDU [SPI.-OBS.-DSP]).
- outDtiDOL specifies the DOL or filename of the result Deadtime (HDU [SPI.-OBS.-DTI]).
- pdets list of pseudo-detectors that should be used for the analysis. The list may be composed of intervals, specified by a minimum and maximum value (e.g. 0-18), or specific, comma separated pseudo-detector indices (e.g. 0-5,7,9,12-18,123-141). Recall that pseudo-detector indices run from 0 to 141.
- histoUnit unit of event spectra (always 0 which corresponds to COUNTS).
- histoType type of event spectra (always 0 which corresponds to correct energy channels, i.e. PI).
- doGainCalib specifies if on-the-fly energy correction should be performed (default = yes).
- doPsdDisc specifies if on-the-fly PSD discrimination should be performed (default = yes if PSD pseudo-detectors have been specified; in this case a SPI.-DISC-PSD data structure is required in the input group which is created by the task spi\_psd\_optimise).
- doDeadtime specifies if on-the-fly deadtime calculation should be performed (default = yes).
- randomise specifies if energy randomisation should be performed (default = yes).
- psdOnground specifies if onground or inflight PSD discrimination should be used (default = yes, corresponding to onground discrimination).
- shiftPha1 shift onboard PHA1 spectra by 3282 channels. This is needed since the first 3282 channels of the onboard spectra are not transmitted to ground, and the data are stored by ISDC as they are.
- specStartTol specifies the maximum amount of time an onboard spectrum may start before the start of the pointing (units of seconds). This parameter allows to gather also event spectra which start slightly earlier than the official start time of a given pointing.
- specStopTol specifies the maximum amount of time an onboard spectrum may stop after the stop of the pointing (units of seconds). This parameter allows to gather also event spectra which stop slightly later than the official stop time of a given pointing.
- clobber specifies if existing output data structures should be overwritten or not. If yes is specified, the executable will notify the user about the deletion of any file. If no is specified and the executable attempts to overwrite existing data (e.g. an existing output Observation Group), the task will exit with an error message.
- verbose specifies the verbose level of the executable. For verbose=0, no information will be logged in case of an error. For verbose=1, only errors will be logged, while for verbose=2 also actions (such as DOL detachments and attachments and DOL deletion) will be logged. verbose=3 provides a report about the histogram building. verbose=4 provides a very detailed report about the histogram building, including event statistics.

# 4 Interface definition

to be written ...

# 5 Algorithm

to be written ...

# 6 Error codes

The executable spi\_obs\_hist may stop with the following error codes:

SPI_OBS_HIST_ERROR_MEM_ALLOC	-233200
SPI_OBS_HIST_ERROR_BAD_PARAMETER	-233201
SPI_OBS_HIST_ERROR_INVALID_PDETE	-233202
SPI_OBS_HIST_ERROR_UNKNOWN_SPEC	-233203
SPI_OBS_HIST_ERROR_SPEC_NOT_FOUND	-233204
SPI_OBS_HIST_ERROR_EBDS_EMPTY	-233205

They have the following meaning:

- SPI\_OBS\_HIST\_ERROR\_MEM\_ALLOC: the allocation of dynamical memory has failed. Probable your system resources are too limited to run this task.
- SPI\_OBS\_HIST\_ERROR\_BAD\_PARAMETER: an invalid task parameter has been specified. More information is found in the log file.
- SPI\_OBS\_HIST\_ERROR\_INVALID\_PDETE: an invalid pseudo-detector has been specified in the pseudo-detector list (parameter pdets).
- SPI\_OBS\_HIST\_ERROR\_UNKNOWN\_SPEC: during the access of the onboard spectra, one of the requested spectra has not been found. This error should never occur and may indicate a possible problem in some low-level routine (i.e. spi\_toolslib). Please report this kind of problem to the author.
- SPI\_OBS\_HIST\_ERROR\_SPEC\_NOT\_FOUND: during the access to a set of spectra, the requested pseudo-detector has not been found. This error should never occur and may indicate a possible problem in some low-level routine (i.e. spi\_toolslib). Please report this kind of problem to the author.
- SPI\_OBS\_HIST\_ERROR\_EBDS\_EMPTY: energy boundary data structure SPI.-EBDS-SET is empty. Please provide a valid data structure for spectral binning definition.

In addition, all errors that may occur in calls to ISDC support functions (such as for example DAL, RIL or PIL) are forwarded. Please consult the ISDC web pages for getting information about these error codes.